

List of Ohio Spiders

6 August 2026

Richard A. Bradley
Department of EEO Biology
Ohio State University
Museum of Biological Diversity
1315 Kinnear Road
Columbus, OH 43212

This list is based on published specimen records of spider species from Ohio. Additional species that have been recorded during the Ohio Spider Survey (beginning 1994) are also included. Any species **listed in green** has not been seen recently (last record prior to 1994). I would very much appreciate any corrections; please mail them to the above address or email (Bradley.10@osu.edu).

710 [+7] Species

Mygalomorphae

Antrodiaetidae (foldingdoor spiders) (2)

Antrodiaetus robustus (Simon, 1890)
Antrodiaetus unicolor (Hentz, 1842)

Atypidae (purseweb spiders) (3)

Sphodros coylei Gertsch & Platnick, 1980
Sphodros niger (Hentz, 1842)
Sphodros rufipes (Latreille, 1829)

Euctenizidae (waferdoor spiders) (1)

Myrmekiaphila foliata Atkinson, 1886

Halonoproctidae (trapdoor spiders) (1)

Ummidia audouini (Lucas, 1835)

Araneomorphae

Agelenidae (funnel weavers) (14)

<i>Agelenopsis emertoni</i> Chamberlin & Ivie, 1935	
<i>Agelenopsis kastoni</i> Chamberlin & Ivie, 1941	
<i>Agelenopsis naevia</i> (Walckenaer, 1805)	grass spiders
<i>Agelenopsis pennsylvanica</i> (C.L. Koch, 1843)	
<i>Agelnopsis potteri</i> (Blackwell, 1846)	
<i>Agelenopsis utahana</i> (Chamberlin & Ivie, 1933)	

Coras aerialis Muma, 1946
Coras juvenilis (Keyserling, 1881)
Coras lamellosus (Keyserling, 1887)
Coras medicinalis (Hentz, 1821)
Coras montanus (Emerton, 1889)
Tegenaria domestica (Clerck, 1757) **barn funnel weaver** *In*
Wadotes calcaratus (Keyserling, 1887)
Wadotes hybridus (Emerton, 1889)

Amaurobiidae (hackledmesh weavers) (2)

Amaurobius ferox (Walckenaer, 1830) *In*
Callobius bennetti (Blackwall, 1848)

Anyphaenidae (ghost spiders) (7)

Anyphaena celer (Hentz, 1847)
Anyphaena fraterna (Banks, 1893)
Anyphaena pectorosa L. Koch, 1866
Arachosia cubana (Banks, 1909)
Hibana gracilis (Hentz, 1847) **garden ghost spider**
Wulfila albens (Hentz, 1847)
Wulfila saltabundus (Hentz, 1847)

Araneidae (orbweavers) (61)

Acacesia hamata (Hentz, 1847)
Acanthepeira cherokee Levi, 1976
Acanthepeira stellata (Walckenaer, 1805) **starbellied orbweaver**
Araneus alboventris (Emerton, 1884)
Araneus bicentenarius (McCook, 1888)
Araneus cavaticus (Keyserling, 1882)
Araneus cingulatus (Walckenaer, 1841)
Araneus diadematus Clerck 1757 *In*
Araneus guttulatus (Walckenaer, 1841)
Araneus iviei (Archer, 1951)
Araneus juniperi (Emerton, 1884)
Araneus marmoreus Clerck, 1757 **marbled orbweaver**
Araneus miniatus (Walckenaer, 1841)
Araneus niveus (Hentz, 1847)
Araneus nordmanni (Thorell, 1870)
Araneus partitus (Walckenaer, 1841)
Araneus pegnia (Walckenaer, 1841)
Araneus pratensis (Emerton, 1884)
Araneus saevus (L. Koch, 1872)
Araneus thaddeus (Hentz, 1847) **lattice orbweaver**
Araneus trifolium (Hentz, 1847) **shamrock orbweaver**
Araniella displicata (Hentz, 1847) **sixspotted orbweaver**
Argiope aurantia Lucas, 1833 **yellow garden spider**
Argiope trifasciata (Forskål, 1775) **banded garden spider**

Cercidia prominens (Westring, 1851)
Cyclosa conica (Pallas, 1772) **trashline orbweaver**
Cyclosa turbinata (Walckenaer, 1841) **trashline orbweaver**
Eustala anastera (Walckenaer, 1841) **humpbacked orbweaver**
Eustala cepina (Walckenaer, 1841)
Eustala emertoni (Banks, 1904)
Gea heptagon (Hentz, 1850)
Hypsosinga funebris (Keyserling, 1892)
Hypsosinga pygmaea (Sundevall, 1832)
Hypsosinga rubens (Hentz, 1847)
Larinia borealis Banks, 1894
Larinia directa (Hentz, 1847)
Larinioides cornutus (Clerck, 1757) **furrow orbweaver**
Larinioides patagiatus (Clerck, 1757)
Larinioides sericatus (Clerck, 1757) **bridge orbweaver**
Mangora gibberosa (Hentz, 1847) **lined orbweaver**
Mangora maculata (Keyserling, 1865) **greenlegged orbweaver**
Mangora placida (Hentz, 1847) **tufted orbweaver**
Mastophora bisaccata (Emerton, 1884) **bolas spider**
Mastophora hutchinsoni Gertsch, 1955 **cornfield bolas spider**
Mastophora phrynosoma Gertsch, 1955 **toadlike bolas spider**
Mastophora stowei Levi, 2003 **bolas spider**
Mastophora timuqua Levi, 2003 **bolas spider**
Mastophora yeargani (Levi, 2003) **bolas spider**
Metepeira labyrinthea (Hentz, 1847) **labyrinth orbweaver**
Micrathena gracilis (Walckenaer, 1805) **spined micrathena**
Micrathena mitrata (Hentz, 1850) **white micrathena**
Micrathena sagittata (Walckenaer, 1841) **arrowshaped micrathena**
Neoscona arabesca (Walckenaer, 1841) **arabesque orbweaver**
Neoscona crucifera (Lucas, 1839)
Neoscona domiciliorum (Hentz, 1847)
Neoscona pratensis (Hentz, 1847)
Ocrepeira ectypa (Walckenaer, 1841)
Ocrepeira georgia Levi, 1976
Singa eugeni Levi, 1972
Singa keyserlingi McCook, 1893
Verrucosa arenata (Walckenaer, 1841)

Cheiracanthiidae (yellow sac spiders) (3)

Cheiracanthium inclusum (Hentz, 1847) *In* **agrarian sac spider**
Cheiracanthium mildei L. Koch, 1864 *In* **yellow sac spider**
Strotarchus piscatorius (Hentz, 1847)

Cicurinidae (cicurinids) (5)

Cicurina arcuata Keyserling, 1887
Cicurina brevis (Emerton, 1899)
Cicurina pallida Keyserling, 1887
Cicurina placida Banks, 1892

Cicurina robusta Simon, 1886

Clubionidae (sac spiders) (12)

Clubiona abboti L. Koch, 1866
Clubiona catawba Gertsch, 1941
Clubiona johnsoni Gertsch, 1941
Clubiona kastoni Gertsch, 1941
Clubiona maritima L. Koch, 1866
Clubiona mixta Emerton, 1890
Clubiona obesa Hentz, 1847
Clubiona pikei Gertsch, 1941
Clubiona pygmaea Banks, 1892
Clubiona riparia L. Koch, 1866
Clubiona spiralis Emerton, 1909
Elaver excepta (L. Koch, 1866)

Corinnidae (swift sac spiders) (7)

Castianeira cingulata (C.L.Koch, 1841) **twobanded antmimic**
Castianeira descripta (Hentz, 1847) **redspotted antmimic**
Castianeira gertschi Kaston, 1945 **Gertsch antmimic**
Castianeira longipalpa (Hentz, 1847) **manybanded antmimic**
Castianeira trilineata (Hentz, 1847)
Castianeira variata Gertsch, 1942
Myrmecotypus lineatus (Emerton, 1909)

Ctenidae (wandering spiders) (1) see also “additional” list

Anahita punctulata (Hentz, 1844)

Cybaeidae (soft spiders) (3)

Calymmaria persica (Hentz, 1847)
Cybaeus giganteus Banks, 1892
Cybaeus silicis Barrows, 1919

Dictynidae (meshweavers) (23)

Arethyna volucripes Keyserling, 1881
Argenna obesa Emerton, 1911
Dictyna bostoniensis Emerton, 1888
Dictyna brevitarsus Emerton, 1915
Emblyna annulipes (Blackwall, 1846)
Emblyna cruciata (Emerton, 1888)
Emblyna decapriini (Kaston, 1945)
Emblyna evicta (Gertsch and Mulaik, 1940)
Emblyna new species A unpublished (near *evicta*) [fide Gertsch]

Emblyna hentzi (Kaston, 1945)
Emblyna maxima (Banks, 1892)
Emblyna roscida (Hentz, 1850)
Emblyna zaba (Barrows & Ivie, 1942)
Eriena minuta Emerton, 1888
Iviella ohioensis (Chamberlin & Ivie, 1935)
Lathys foxi (Marx, 1891)
Lathys pallida (Marx, 1891)
Nopalityna sublata (Hentz, 1850)
Phantyna bicornis (Emerton, 1915)
Phantyna formidolosa Gertsch & Ivie 1936
Spagnius foliaceus (Hentz, 1850)
Tolkienus bellans Chamberlin, 1919
Tolkienus longispinus Emerton, 1888

Dysderidae (woodlouse spiders) (1)

Dysdera crocata C.L. Koch, 1838 *In*

Gnaphosidae (stealthy ground spiders) (47)

Callilepis imbecilla (Keyserling, 1887)
Callilepis pluto Banks, 1896
Cesonia bilineata (Hentz, 1847)
Drassodes auriculoides Barrows, 1919
Drassodes gosiutus Chamberlin, 1919
Drassodes neglectus (Keyserling, 1887)
Drassyllus aprilius (Banks, 1904)
Drassyllus covensis Exline, 1962
Drassyllus creolus Chamberlin & Gertsch, 1940
Drassyllus depressus (Emerton, 1890)
Drassyllus ellipes Chamberlin & Gertsch, 1940
Drassyllus eremitus Chamberlin, 1922
Drassyllus fallens Chamberlin, 1922
Drassyllus frigidus (Banks, 1892)
Drassyllus nannellus Chamberlin & Gertsch, 1940
Drassyllus novus (Banks, 1895)
Drassyllus rufulus (Banks, 1892)
Gnaphosa fontinalis Keyserling, 1887
Gnaphosa muscorum (L. Koch, 1866)
Gnaphosa parvula Banks, 1896
Gnaphosa sericata (L. Koch, 1866)
Haplodrassus bicornis (Emerton, 1909)
Haplodrassus hiemalis (Emerton, 1909)
Haplodrassus signifer (C.L. Koch, 1839)
Herpyllus ecclesiasticus Hentz, 1832 **parson spider** *In*
Litopyllus temporarius Chamberlin, 1922
Micaria elizabethae Gertsch, 1942
Micaria gertschi Barrows & Ivie, 1942
Micaria longipes Emerton, 1890

Micaria pulicaria (Sundevall, 1832)
Micaria riggsi Gertsch, 1942
Sergiolus bicolor Banks, 1900
Sergiolus capulatus (Walckenaer, 1837)
Sergiolus decoratus Kaston 1945
Sergiolus montanus (Emerton, 1890)
Sergiolus ocellatus (Walckenaer, 1837)
Sergiolus tennesseensis Chamberlin, 1922
Sergiolus unimaculatus Emerton, 1915
Sosticus insularis (Banks, 1895)
Sosticus loricatus (L. Koch, 1866) *In*
Talanites echinus (Chamberlin, 1922)
Urozelotes rusticus (L. Koch, 1872)
Zelotes duplex Chamberlin, 1922
Zelotes exiguoides Platnick & Shadab, 1983
Zelotes fratris Chamberlin, 1920
Zelotes hentzi Barrows, 1945
Zelotes laccus (Barrows, 1919)

Hahniidae (combtailed spiders) (6)

Antistea brunnea (Emerton, 1909)
Hahnia cinerea Emerton, 1889
Hahnia flaviceps Emerton, 1913
Neoantistea agilis (Keyserling, 1887)
Neoantistea magna (Keyserling, 1887)
Neoantistea riparia (Keyserling, 1887)

Linyphiidae (sheetweavers) (168)

Agyneta angulata (Emerton, 1882)
Agyneta barrowsi Chamberlin & Ivie, 1944
Agyneta brevipes (Keyserling, 1886)
Agyneta evadens (Chamberlin, 1925)
Agyneta fabra (Keyserling, 1886)
Agyneta leucophora (Chamberlin & Ivie, 1944)
Agyneta micaria (Emerton, 1882)
Agyneta picta (Chamberlin & Ivie, 1944)
Agyneta parva (Banks, 1896)
Agyneta semipallida (Chamberlin & Ivie, 1944)
Agyneta serrata (Emerton, 1909)
Agyneta simplex (Emerton, 1926)
Agyneta unimaculata (Banks, 1892)
Allomengea dentisetis (Grube, 1861)
Baryphyma trifrons affine (Schenkel, 1930)
Bathypantes alboventris (Banks, 1892)
Bathypantes bishopi Ivie, 1969
Bathypantes pallidus (Banks, 1892)
Bathypantes weyeri (Emerton, 1875)
Blestia sarcocuon (Crosby & Bishop, 1927)

Centromerus cornupalpis (O. Pickard-Cambridge, 1875)
Centromerus denticulatus (Emerton, 1909)
Centromerus latidens (Emerton, 1882)
Centromerus persolutus (O. Pickard-Cambridge, 1875)
Centromerus sylvaticus (Blackwall, 1841)
Centromerus tennapex (Barrows, 1940)
Ceraticelus alticeps (Fox, 1891)
Ceraticelus atriceps (O.P.-Cambridge, 1874)
Ceraticelus bryantae Kaston, 1945
Ceraticelus bulbosus (Emerton, 1882)
Ceraticelus carinatus (Emerton, 1911)
Ceraticelus emertoni (O.P. Cambridge, 1874)
Ceraticelus fissiceps (O.P. Cambridge, 1874)
Ceraticelus laetabilis (O. Pickard-Cambridge, 1874)
Ceraticelus laetus (O. P.-Cambridge, 1874)
Ceraticelus laticeps (Emerton, 1894)
Ceraticelus micropalpis (Emerton, 1882)
Ceraticelus minutus (Emerton, 1882)
Ceraticelus paschalis Crosby and Bishop, 1925
Ceraticelus pygmaeus (Emerton, 1882)
Ceraticelus similis (Banks, 1892)
Ceraticelus tibialis (Fox, 1891)
Ceratinella brunnea Emerton, 1882
Ceratinops annulipes (Banks, 1892)
Ceratinops crenatus (Emerton, 1882)
Ceratinops latus (Emerton, 1882)
Ceratinops rugosus (Emerton, 1909)
Ceratinopsidis formosa (Banks, 1892)
Ceratinopsis atolma Chamberlin, 1925
Ceratinopsis interpres (O. Pickard-Cambridge, 1874)
Ceratinopsis laticeps Emerton, 1882
Ceratinopsis nigriceps Emerton, 1882
Ceratinopsis nigripalpis Emerton, 1882
Ceratinopsis tybeensis (Chamberlin & Ivie, 1944)
Ceratinopsis xanthippe (Keyserling, 1886)
Collinsia oxyaederotipus (Crosby, 1905)
Collinsia plumosa (Emerton, 1882)
Dicymbium elongatum (Emerton, 1882)
Diplostyla concolor (Wider, 1834)
Disembolus corneliae (Chamberlin & Ivie, 1944)
Drapetisca alteranda (Chamberlin, 1909)
Epiceraticelus fluvialis Crosby and Bishop, 1931
Eridantes erigonoides (Emerton, 1882)
Erigone aletris Crosby & Bishop, 1928
Erigone alsaida Crosby & Bishop, 1928
Erigone atra Blackwall, 1833
Erigone autumnalis Emerton, 1882
Erigone blaesae Crosby & Bishop, 1928
Erigone dentigera O.P. Cambridge, 1874
Erigone dentosa O. Pickard-Cambridge, 1894

Floricomus bishopi Ivie & Barrows 1935
Floricomus pythonicus (Crosby and Bishop, 1925)
Floricomus nasutus (Emerton, 1911)
Floricomus nigriceps (Banks, 1906)
Floricomus pythonicus (Crosby & Bishop, 1925)
Floricomus rostratus (Emerton, 1882)
Florinda coccinea (Hentz, 1850)
Frontinella pyramitela (Walckenaer, 1841) **bowl and doily spider**
Gonatium crassipalpum Bryant 1933
Goneatara nasuta (Barrows, 1943)
Goneatara platyrhinus (Crosby and Bishop, 1927)
Grammonota gentilis Banks, 1898
Grammonota inornata Emerton, 1882
Grammonota inusiata (Crosby & Bishop, 1932)
Grammonota maritima Emerton, 1925
Grammonota ornata (O. Pickard-Cambridge, 1875)
Grammonota pictilis (O. Pickard-Cambridge, 1875)
Grammonota vittata Barrows, 1919
Helophora insignis (Blackwall, 1841)
Hypomma marxi (Keyserling, 1886)
Hypselistes florens (O. Pickard-Cambridge, 1875)
Idionella formosa (Banks, 1892)
Islandiana flaveola (Banks, 1892)
Islandiana longisetosa (Emerton, 1882)
Lepthyphantes leprosus (Ohlert, 1865)
Lepthyphantes turbatrix (O. Pickard-Cambridge, 1877)
Lepthyphantes zebra (Emerton 1882)
Macrargus multesimus (O. Pickard-Cambridge, 1875)
Maso sundevalli (Westring, 1851)
Megalepthyphantes nebulosus (Sundevall, 1830)
Mermessus bryantae (Ivie & Barrows, 1935)
Mermessus entomologicus (Emerton, 1911)
Mermessus fradeorum (Berland, 1932)
Mermessus index (Emerton, 1914)
Mermessus jona (Bishop and Crosby, 1938)
Mermessus maculatus (Banks, 1892)
Mermessus tenuipalpis (Emerton, 1911)
Mermessus tridentatus (Emerton, 1882)
Mermessus trilobatus (Emerton, 1882)
Microlinyphia impigra (O. Pickard-Cambridge, 1871)
Microlinyphia mandibulata mandibulata (Emerton, 1882)
Microlinyphia pusilla (Sundevall, 1830)
Microneta viaria (Blackwall, 1841)
Neodietrichia hesperia (Crosby & Bishop 1933)
Neriere clathrata (Sundevall, 1830)
Neriere radiata (Walckenaer, 1841) **filmy dome spider**
Neriere redacta Chamberlin, 1925
Neriere variabilis (Banks, 1892)
Oedothorax maximus (Emerton, 1882)
Oedothorax montifer (Emerton, 1882)

Oedothorax trilobatus (Banks, 1896)
Origanates rostratus (Emerton, 1882)
Paracornicularia bicapillata Crosby & Bishop, 1931
Pelecopsis moesta (Banks, 1892)
Phanetta subterranea (Emerton, 1875)
Pityohyphantes costatus (Hentz, 1850) **hammock spider**
Pocadicnemis americana Millidge, 1975
Pocadicnemis pumila (Blackwall, 1841)
Pocobletus coroniger Simon, 1894
Porrhomma cavernicola (Keyserling, 1886)
Porrhomma rosenhaueri (L. Koch, 1872)
Porrhomma terrestre (Emerton, 1882)
Porrhomma (new species unpublished)
Satilatlas arenarius (Emerton, 1911)
Satilatlas marxi Keyserling, 1886
Scotinotylus exsectoides Millidge, 1981
Scotinotylus vernalis (Emerton, 1882)
Scylaceus pallidus (Emerton, 1882)
Sougambus bostoniensis (Emerton, 1882)
Soulgas corticarius (Emerton, 1909)
Stemonyphantes blauveltae Gertsch, 1951
Styloctetor purpurescens (Keyserling, 1886)
Tapinocyba emertoni Barrows & Ivie 1942
Tapinocyba hortensis (Emerton, 1924)
Tapinocyba sucra Chamberlin, 1949
Tapinopa bilineata Banks, 1893
Taranucnus ornithes (Barrows, 1940)
Tennesseeellum formicum (Emerton, 1882)
Tenuiphantes cracens (Zorsch, 1937)
Tenuiphantes sabulosus (Keyserling, 1886)
Tenuiphantes tenuis (Blackwall, 1852)
Tenuiphantes zebra (Emerton, 1882)
Thyreosthenius parasiticus (Westring, 1851)
Tmeticus ornatus (Emerton, 1914)
Tusukuru hartlandianus (Emerton, 1913)
Walckenaeria brevicornis (Emerton, 1882)
Walckenaeria carolina Millidge, 1983
Walckenaeria castanea (Emerton, 1882)
Walckenaeria communis (Emerton, 1882)
Walckenaeria digitata (Emerton, 1913)
Walckenaeria directa (O. Pickard-Cambridge, 1874)
Walckenaeria minuta (Emerton, 1882)
Walckenaeria pallida (Emerton, 1882)
Walckenaeria palustris Millidge, 1983
Walckenaeria prominens Millidge, 1983
Walckenaeria spiralis (Emerton, 1882)
Walckenaeria tibialis (Emerton, 1882)
Wubana drassoides (Emerton, 1882)

Liocranidae (garden legs spiders) (2)

Agroeca minuta Banks, 1895
Agroeca pratensis Emerton, 1890

Lycosidae (wolf spiders) (62)

<i>Allocosa funerea</i> (Hentz, 1844)	
<i>Alopecosa aculeata</i> (Clerck, 1757)	
<i>Arctosa littoralis</i> (Hentz, 1844)	
<i>Arctosa rubicunda</i> (Keyserling, 1877)	
<i>Arctosa virgo</i> (Chamberlin, 1925)	
<i>Geolycosa domifex</i> (Hancock, 1899)	
<i>Geolycosa missouriensis</i> (Banks, 1895)	burrowing wolf spider
<i>Geolycosa turricola</i> (Treat, 1880)	
<i>Geolycosa wrighti</i> (Emerton, 1912)	
<i>Gladicosa bellamyi</i> (Gertsch & Wallace, 1937)	
<i>Gladicosa gulosa</i> (Walckenaer, 1837)	
<i>Gladicosa pulchra</i> (Keyserling, 1877)	
<i>Hogna baltimoriana</i> (Keyserling, 1877)	
<i>Hogna carolinensis</i> (Walckenaer, 1805)	
<i>Hogna frondicola</i> (Emerton, 1885)	
<i>Pardosa fuscula</i> (Thorell, 1875)	
<i>Pardosa lapidicina</i> Emerton, 1885	
<i>Pardosa milvina</i> (Hentz, 1844)	thinlegged wolf spiders
<i>Pardosa modica</i> (Blackwall, 1846)	
<i>Pardosa moesta</i> Banks, 1892	
<i>Pardosa pauxilla</i> Montgomery, 1904	
<i>Pardosa saxatilis</i> (Hentz, 1844)	
<i>Pardosa xerampelina</i> (Keyserling, 1877)	
<i>Pirata alachuus</i> Gertsch & Wallace, 1935	
<i>Pirata aspirans</i> Chamberlin, 1904	
<i>Pirata montanoides</i> Banks, 1892	
<i>Pirata montanus</i> Emerton, 1885	pirate wolf spiders
<i>Pirata piraticus</i> (Clerck, 1757)	
<i>Pirata praedo</i> Kulczynski, 1885 [aka <i>Pirata zelotes</i> Wallace & Exline, 1978	]
<i>Pirata sedentarius</i> Montgomery, 1904	
<i>Pirata seminolus</i> Gertsch & Wallace, 1935	
<i>Pirata triens</i> Wallace & Exline, 1978	
<i>Piratula canadensis</i> (Dondale & Redner, 1981)	
<i>Piratula gigantea</i> (Gertsch, 1934)	
<i>Piratula insularis</i> (Emerton, 1885)	
<i>Piratula minuta</i> (Emerton, 1885)	
<i>Rabidosa punctulata</i> (Hentz, 1844)	
<i>Rabidosa rabida</i> (Walckenaer, 1837)	
<i>Schizocosa avida</i> (Walckenaer, 1837)	
<i>Schizocosa bilineata</i> (Emerton, 1885)	
<i>Schizocosa communis</i> (Emerton, 1885)	
<i>Schizocosa crassipalpata</i> Roewer, 1951	
<i>Schizocosa duplex</i> Chamberlin, 1925	
<i>Schizocosa humilis</i> (Banks, 1892)	
<i>Schizocosa mccooki</i> (Montgomery, 1904)	
<i>Schizocosa ocreata</i> (Hentz, 1844)	

Schizocosa retrorsa (Banks, 1911)
Schizocosa rovneri Uetz & Dondale, 1979
Schizocosa saltatrix (Hentz, 1844)
Schizocosa stridulans Stratton, 1984
Tigrosa annexa (Chamberlin & Ivie, 1944)
Tigrosa aspersa (Hentz, 1844)
Tigrosa georgicola (Walckenaer, 1837)
Tigrosa grandis (Banks, 1894) [aka *Hogna permunda* (Chamberlin, 1904)]
Tigrosa helluo (Walckenaer, 1837)
Trabeops aurantiacus (Emerton, 1885)
Trebacosa marxi (Stone, 1890)
Trochosa pratensis (Emerton, 1885)
Trochosa ruricola (De Geer, 1778)
Trochosa sepulchralis (Montgomery, 1902)
Trochosa terricola Thorell, 1856
Varacosa avara (Keyserling, 1877)

Mimetidae (pirate spiders) (9)

Ero canionis Chamberlin & Ivie 1935
Ero furcata (Villers, 1789)
Ero pensacolae Ivie & Barrows, 1935
Mimetus epeiroides Emerton, 1882
Mimetus hesperus Chamberlin, 1923
Mimetus nelsoni Archer, 1950
Mimetus notius Chamberlin, 1923
Mimetus puritanus Chamberlin, 1923
Mimetus syllepsicus Hentz, 1832

Miturgidae (prowling spiders) (1)

Zora pumila (Hentz, 1850)

Mysmenidae (dwarf cobweb spiders) (2)

Maymena ambita (Barrows, 1940)
Microdipoena guttata Banks, 1895

Nesticidae (cave cobweb spiders) (1)

Eidmannella pallida (Emerton, 1875)

Oecobiidae (flatmesh weavers) (1)

Oecobius navus Blackwall, 1859 *In*
(includes records listed earlier as *O. annulipes* Lucas, 1846 and *O. cellariorum* (Dugès, 1836))

Oonopidae (goblin spiders) (1)

Orchestina saltitans Banks, 1894

Oxyopidae (lynx spiders) (3)

Oxyopes aglossus Chamberlin, 1924

Oxyopes salticus Hentz, 1845

Oxyopes scalaris Hentz, 1845

striped lynx spider

western lynx spider

Philodromidae (running crab spiders) (21)

Ebo iviei Sauer & Platnick, 1972

Ebo latithorax Keyserling, 1884

Philodromus cespitum (Walckenaer, 1802)

Philodromus exilis Banks, 1892

Philodromus imbecillus Keyserling, 1880

Philodromus infuscatus Keyserling, 1880

Philodromus keyserlingi Marx, 1889

Philodromus laticeps Keyserling, 1880

Philodromus marxii Keyserling, 1889

Philodromus minutus Banks, 1892

Philodromus peninsulanus Gertsch, 1934

Philodromus pernix Blackwell, 1846

Philodromus placidus Banks, 1892

Philodromus rufus Walckenaer, 1826

P. rufus vibrans Dondale, 1964

Philodromus vulgaris (Hentz, 1847)

Thanatus formicinus (Clerck, 1757)

Thanatus rubicellus Mello Leitão, 1929

Thanatus vulgaris Simon, 1870

Tibellus duttoni (Hentz, 1847)

Tibellus maritimus (Menge, 1875)

Tibellus oblongus (Walckenaer, 1802)

Pholcidae (cellar spiders) (3)

Pholcus phalangioides (Fuesslin, 1775)

Pholcus manuei Gertsch, 1937

Spermophora senoculata (Dugès, 1836)

longbodied cellar spider *In*

shortbodied cellar spider *In*

Phrurolithidae (guardstone spiders) (14)

Phrurolithus concisus Gertsch, 1941

Phrurolithus goodnighti Muma 1945

Phruronellus formica (Banks, 1895)

Phrurotimpus dulcineus Gertsch, 1941

Phrurotimpus palustris (Banks, 1892) often listed as *alarius*

Phrurotimpus borealis (Emerton, 1911)

Phrurotimpus minutus (Banks, 1892)

Scotinella britcheri (Petrunkévitch, 1910)

Scotinella brittoni (Gertsch, 1941)

Scotinella fratrella (Gertsch, 1935)

Scotinella madisonia Levi, 1951

Scotinella pugnata (Emerton, 1890)

Scotinella redempta (Gertsch, 1941)
Scotinella new species A unpublished [fide Dobyns]

Pisauridae (nursery web spiders) (9)

Dolomedes albineus Hentz, 1845
Dolomedes scriptus Hentz, 1845
Dolomedes striatus Giebel, 1869
Dolomedes tenebrosus Hentz, 1843
Dolomedes triton (Walckenaer, 1837) **sixspotted fishing spider**
Dolomedes vittatus Walckenaer, 1837
Pisaurina brevipes (Emerton, 1911)
Pisaurina dubia (Hentz, 1847)
Pisaurina mira (Walckenaer, 1837) **nursery web spider**

Salticidae (jumping spiders) (85)

Admestina tibialis (C.L.Koch, 1848)
Admestina wheeleri Peckham & Peckham, 1888
Attidops youngii (Peckham & Peckham, 1888)
Attinella concolor (Banks, 1895)
Attulus fasciger (Simon, 1880) *In*
Attulus floricola palustris (Peckham & Peckham, 1883)
Attulus pubescens (Fabricius, 1775)
Attulus striatus (Emerton, 1911)
Attulus sylvestris (Emerton, 1891)
Chalcoscirtus diminutus (Banks, 1896)
Chinattus parvulus (Banks, 1895)
Colonus puerperus (Hentz, 1846)
Colonus sylvanus (Hentz, 1846)
Eris flava (Peckham & Peckham, 1888)
Eris floridana (Banks, 1904)
Eris militaris (Hentz, 1845) **bronze jumper**
Eris rufa (C.L. Koch, 1846)
Evarcha hoyi Roewer, 1954
Ghelna barrowsi (Kaston, 1973)
Ghelna canadensis (Banks, 1897)
Ghelna castanea (Hentz, 1846)
Habronattus agilis (Banks, 1893) likely misidentified (=cognatus)
Habronattus borealis (Banks, 1895)
Habronattus calcaratus maddisoni (Banks, 1904)
Habronattus coecatus (Hentz, 1846)
Habronattus cognatus (Peckham & Peckham, 1901)
Habronattus decorus (Blackwall, 1846)
Habronattus jucundus (Peckham & Peckham, 1909)
Habronattus orbus Griswold, 1987
Habronattus texanus (Chamberlin, 1924)
Habronattus viridipes (Hentz, 1846)
Hentzia mitrata (Hentz, 1846)
Hentzia palmarum (Hentz, 1832)
Maevia inclemens (Walckenaer, 1837) **dimorphic jumper**

Marpissa dentoides Barnes, 1958

Marpissa formosa (Banks, 1892)

Marpissa lineata (C.L. Koch, 1846)

Marpissa pikei (Peckham & Peckham, 1888) **Pike slender jumper**

Myrmarachne formicaria (DeGeer, 1778) *In*

Naphrys pulex (Hentz, 1846)

Neon avalonus Gertsch & Ivie, 1955 (likely misidentified)

Neon nellii Peckham & Peckham, 1888

Neon plutonus Gertsch & Ivie, 1955

Paraphidippus aurantius (Lucas, 1833)

Peckhamia americana (Peckham & Peckham, 1892)

Peckhamia picata (Hentz, 1846) **antmimic jumper**

Peckhamia scorpionia (Hentz, 1846)

Pelegrina exigua (Banks, 1892)

Pelegrina flavipedes (Peckham & Peckham 1888)

Pelegrina galathea (Walckenaer, 1837) **peppered jumper**

Pelegrina insignis (Banks, 1892)

Pelegrina peckhamorum (Kaston, 1973)

Pelegrina proterva (Walckenaer, 1837)

Phidippus audax (Hentz, 1845) **bold jumper**

Phidippus cardinalis (Hentz, 1845) **cardinal jumper**

Phidippus clarus Keyserling, 1885

Phidippus insignarius C.L. Koch, 1846

Phidippus mystaceus (Hentz, 1846)

Phidippus otiosus (Hentz, 1846)

Phidippus pius Scheffer, 1905

Phidippus princeps (Peckham & Peckham, 1883)

Phidippus putnami (Peckham & Peckham, 1883)

Phidippus texanus Banks, 1906

Phidippus whitmani (Peckham & Peckham, 1909)

Phlegra hentzi (Marx, 1890)

Platycryptus undatus (DeGeer, 1778)

Plexippus paykullii (Audouin, 1826) **pantropical jumper** *In*

Salticus scenicus (Clerck, 1757) **zebra jumper** *In*

Sarinda hentzi (Banks, 1913)

Sassacus cyaneus (Hentz, 1846)

Sassacus papenhoei (Peckham & Peckham, 1895)

Sassacus vitis (Cockerell, 1894)

Synageles bishopi Cutler, 1988

Synageles noxiosus (Hentz, 1850)

Synemosyna formica Hentz, 1846

Talavera minuta (Banks, 1895)

Thiodina – see *Colonus*

Tutelina elegans (Hentz, 1846)

Tutelina formicaria (Emerton, 1891)

Tutelina harti (Emerton, 1891)

Tutelina similis (Banks, 1895)

Zygoballus nervosus (Peckham & Peckham, 1885)

Zygoballus rufipes Peckham & P., 1885 **hammerjawed jumper**

Zygoballus sexpunctatus (Hentz, 1844)

Scytodidae (spitting spiders) (3)

Scytodes atlacoya Rheims, Brescovit & Durán-Barrón, 2007
Scytodes fusca Walckenaer, 1837
Scytodes thoracica (Latreille, 1802)

Segestriidae (tubeweb spiders) (1)

Ariadna bicolor (Hentz, 1842)

Sicariidae (sixeyed brown spiders) [was Loxoscelidae] (2)

Loxosceles reclusa Gertsch & Mulaik, 1940 **brown recluse** *In?*
Loxosceles rufescens (Dufour, 1820) **Mediterranean recluse** *In*

Tengellidae (host spiders) (1)

Liocranoides tennesseensis Platnick, 1999

Tetragnathidae (longjawed orbweavers) (20)

Glenognatha foxi (McCook, 1894)
Dolichognatha pentagona (Hentz, 1850)
Leucauge venusta (Walckenaer, 1841) **orchard orbweaver**
Meta ovalis (Gertsch, 1933) **cave orbweaver**
Pachygnatha autumnalis Marx, 1884 |
Pachygnatha brevis Keyserling, 1884 |
Pachygnatha clerki Sundevall, 1823 |
Pachygnatha dorothea McCook, 1894 **thickjawed orbweavers**
Pachygnatha furcillata Keyserling, 1884 |
Pachygnatha tristriata C.L. Koch, 1845 |
Pachygnatha xanthostoma C.L. Koch, 1845 |
Tetragnatha caudata Emerton, 1884
Tetragnatha elongata Walckenaer, 1841
Tetragnatha guatemalensis O. Pickard-Cambridge, 1889
Tetragnatha laboriosa Hentz, 1850 **silver longjawed orbweaver**
Tetragnatha pallescens (F.O. Pickard-Cambridge, 1903)
Tetragnatha shoshone Levi, 1981
Tetragnatha straminea Emerton, 1884
Tetragnatha versicolor Walckenaer, 1841
Tetragnatha viridis Walckenaer, 1842

Theridiidae (cobweb weavers) (63)

Argyrodes elevatus Taczanowski, 1873 **dewdrop spider**
Asagena americana Emerton, 1882 **twospotted cobweb spider**
Crustulina altera Gertsch & Archer, 1942
Crustulina sticta (O. Pickard-Cambridge, 1861)
Cryptachaea porteri (Banks, 1896)
Cryptachaea rupicola (Emerton, 1882)
Dipoena buccalis Keyserling, 1886

Diplocephalus nigra (Emerton, 1882)
Emertonella emertoni (Bryant, 1933)
Enoplognatha caricis (Fickert, 1876)
Enoplognatha marmorata (Hentz, 1850) **marbled cobweb spider**
Enoplognatha ovata (Clerck, 1757) *In*
Episinus amoenus Banks 1911
Euryopis argentea Emerton, 1882
Euryopis funebris (Hentz, 1850)
Euryopis pepini Levi, 1954
Euryopis spinigera O. Pickard-Cambridge, 1895
Euryopis quinquemaculata Banks, 1900
Faiditus cancellatus (Hentz, 1850)
Hentziectypus conjunctus (Gertsch & Mulaik, 1936)
Hentziectypus globosus (Hentz, 1850)
Latrodectus mactans (Fabricius, 1775) **southern black widow**
Latrodectus variolus Walckenaer, 1837 **northern black widow**
Neospintharus trigonum (Hentz, 1850) **dewdrop spider**
Parasteatoda tabulata (Levi, 1980)
Parasteatoda tepidariorum (C.L. Koch, 1841) **common house spider**
Pholcomma hirsutum Emerton, 1882
Phoroncidia americana (Emerton, 1882)
Phylloneta pictipes (Keyserling, 1884)
Platnickina alabamensis (Gertsch & Archer, 1942)
Platnickina antoni (Keyserling, 1884)
Platnickina punctosparsa (Emerton, 1882)
Rhomphaea fictilium (Hentz, 1850)
Robertus frontatus (Banks, 1892)
Robertus riparius (Keyserling, 1886)
Rugathodes aurantius (Emerton, 1915)
Rugathodes sexpunctatus (Emerton, 1882)
Spintharus flavidus Hentz, 1850
Steatoda albomaculata (DeGeer, 1778)
Steatoda borealis (Hentz, 1850)
Steatoda grossa (C.L. Koch, 1838) **false black widow**
Steatoda triangulosa (Walckenaer, 1802)
Stemmops ornatus (Bryant, 1933)
Theonoe stridula Crosby, 1906
Theonoe n sp?
Theridion albidum Banks, 1895
Theridion cheimatos Gertsch & Archer, 1942
Theridion differens Emerton, 1882
Theridion flavonotatum Becker, 1879
Theridion frondeum Hentz, 1850
Theridion glaucescens Becker, 1879
Theridion hemerobium Simon, 1914
Theridion murarium Emerton, 1882
Theridion neshamini Levi, 1957
Theridion pennsylvanicum Emerton, 1913
Theridion pictum (Walckenaer, 1802)
Theridula emertoni Levi, 1954
Theridula opulenta (Walckenaer, 1841)

Thymoites marxi (Crosby, 1906)
Thymoites pallidus (Emerton, 1913)
Thymoites unimaculatus (Emerton, 1882)
Wamba crispulus (Simon, 1895)
Yunohamella lyrica (Walckenaer, 1841)

Theridiosomatidae (ray orbweavers) (1)

Theridiosoma gemmosum (L. Koch, 1877)

Thomisidae (crab spiders) (30)

Bassaniana utahensis (Gertsch, 1932)
Bassaniana versicolor (Keyserling, 1880) **bark crab spider**
Mecaphesa asperata (Hentz, 1847) **northern crab spider**
Mecaphesa celer (Hentz, 1847) **celer crab spider**
Misumena vatia (Clerck, 1757) **goldenrod crab spider**
Misumenoides formosipes (Walckenaer, 1837) **redbanded crab spider**
Misumessus oblongus (Keyserling, 1880)
Modysticus modestus (Scheffer, 1904)
Ozyptila americana Banks, 1895
Ozyptila creola Gertsch, 1953
Ozyptila curvata Dondale & Redner, 1975
Ozyptila georgiana Keyserling, 1880
Ozyptila monroensis Keyserling, 1884
Synema parvulum (Hentz, 1847)
Tmarus angulatus (Walckenaer, 1837)
Tmarus minutus Banks, 1904
Xysticus auctificus Keyserling, 1880
Xysticus bicuspis Keyserling, 1887
Xysticus canadensis Gertsch, 1934
Xysticus discursans Keyserling, 1880
Xysticus elegans Keyserling, 1880 **elegant crab spider**
Xysticus emertoni Keyserling, 1880
Xysticus ferox (Hentz, 1847)
Xysticus fraternus Banks, 1895
Xysticus funestus Keyserling, 1880
Xysticus gulosus Keyserling, 1880
Xysticus luctans (C.L. Koch, 1845)
Xysticus pella (O. Pickard-Cambridge, 1894)
Xysticus texanus Banks, 1904
Xysticus triguttatus Keyserling, 1880 **threebanded crab spider**

Titanoecidae (rock weavers) (2)

Titanoeca americana Emerton, 1888
Titanoeca brunnea Emerton, 1888

Trachelidae (cusped spiders) (2)

Meriola decepta Banks, 1895

Neochelas tranquillus (Hentz, 1847) (known formerly as *Trachelas*)

Uloboridae (hackled orbweavers) (3)

Hyptiotes cavatus (Hentz, 1847) **triangle weaver**

Octonobus sinensis (Simon, 1880) *In*

Uloborus glomosus (Walckenaer, 1841) **featherlegged orbweaver**

Zodariidae (zodariids) (1)

Zodarion rubidum Simon, 1914 *In*

Additional species reported as found with goods imported to Ohio, or isolated individuals that were accidentally transorted to Ohio but not known to be established as breeding populations, i.e. not naturalized. (7)

Acanthoctenus spinipes Keyserling, 1876

Cupiennius coccineus F. O. Pickard-Cambridge, 1901

Gasteracantha cancriformis (Linnaeus, 1758)

Heteropoda venatoria (Linnaeus, 1767)

Latrodectus hesperus Chamberlin & Ivie 1935 **western black widow**

Trichonephila clavipes (Linnaeus, 1767)

Phoneutria boliviensis (F.O.Pickard-Cambridge, 1897)

NOTES:

1. The assignment of spider species to families is the subject of considerable debate among araneologists. Ideally the higher taxonomic categories (genera, families) represent our best current estimates of phylogenetic (evolutionary) relationships among groups of species. Some workers would assign a number of spider genera listed here under Dictynidae (Cicurina), Hahniidae (Calymmaria), and Cybaeidae (Cybaeus) to Agelenidae. If you use the common keys (Roth, Kaston) these spiders will all key out to Agelenidae. I have followed the arrangement in the World Spider Catalog. I have applied a few of the common names for families from Platnick (Spiders of the World, 2020).

2. I have “split” the older family Clubionidae into six families (Cheiracanthiidae, Clubionidae, Corinnidae, Liocranidae, Phrurolithidae, and Miturgidae). All of these clubionids will key to “Clubionidae” in some identification aids but can readily be located in this list because their generic names have not been changed. Many species have recently been moved between the Liocranidae and Phrurolithidae (e.g. *Scotinella*). Because a number of these families are difficult to define based on simple morphology, they are sometimes referred to as “clubionoid spiders” in the field.

3. I have placed the two older “subfamilies” of crab spiders as separate families, which reflects our current understanding.

4. I have generally followed the names used in the **World Spider Catalog** This compendium (frequently revised) is now available online and this represents the most up-to-date listing of spider species. <http://www.wsc.nmbe.ch>

5. Common names are included in bold face type where the committee on common names of the American Arachnological Society has provided a name (fewer than 20% of the species on this list).

6. A list of species that are not likely to breed in Ohio but have been found in produce or other imported materials is included at the end of this list. A fairly large number of other species have been introduced by human activities and are “naturalized” are indicated by including “*In*” (introduced) after the entry.